



# 485EL-NPW-82.0 Series

## SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

- 1.1 Product identifier**  
GHS Product Identifier Not applicable.  
Chemical Name Not applicable.  
Trade name 485EL-NPW-82.0  
CAS No. Mixture  
EINECS No. Mixture
- 1.2 Relevant identified uses of the substance or mixture and uses advised against**  
Identified use(s) Mineral Bearing Lubricant  
Uses advised against None.
- 1.3 Details of the supplier of the safety data sheet**  
Company Identification Permawick Company  
3110 Permawick Drive  
Columbus, IN, 47201 U.S.A.  
Telephone +1 (812) 376-0703  
Fax +1 (812) 372-1410  
E-Mail (competent person) sales@permawick.com  
Only Representative Experien Chemical Services (Europe) Limited  
PO Box 170  
Thirsk YO7 9AN UK  
Telephone +44 7791 573385 (UK 9am to 5pm)
- 1.4 Emergency telephone number**  
Emergency Phone No. Monday - Friday, 8 am – 4:30 p.m. (EST) (812) 376-0703  
CHEMTREC 24 hr. +1 (703) 527-3887 (Collect call accepted)

### SECTION 2: HAZARDS IDENTIFICATION

- 2.1 Classification of the substance or mixture**  
Regulation (EC) No. 1272/2008 (CLP). Not classified as dangerous for supply/use.
- 2.2 Label elements**  
Hazard Symbol None  
Signal word(s) None  
Hazard statement(s) None  
Precautionary statement(s) None
- 2.3 Other hazards** Not classified as PBT or vPvB.
- 2.4 Additional Information** None

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

**3.2 Mixtures**  
Regulation (EC) No. 1272/2008 (CLP).

| Hazardous ingredient(s)                                       | %W/W     | EC No. and CAS#         | According to Regulation (EC) No. 1272/2008 (CLP) |
|---|----------|-------------------------|--|
| Distillates (petroleum), solvent-dewaxed heavy paraffinic * ^ | 60 - 100 | 265-169-7<br>64742-65-0 | Not classified.                                  |

\* Contains less than 3% DMSO extractable as measured by IP 346 method. Notes H and L apply. ^ Not yet subject to REACH registration.

**3.3 Additional Information** - Substances in the product which may present a health or environmental hazard, or which have been assigned occupational exposure limits, are detailed below. **None**

For full text of H/P phrases see section 16.

## SECTION 4: FIRST AID MEASURES



### 4.1 Description of first aid measures

|              |   |
|--------------|---|
| Inhalation   | Unlikely to be required but if necessary treat symptomatically.                         |
| Skin Contact | Wash affected skin with soap and water.   |
| Eye Contact  | Eyes should be washed with plenty of water. If symptoms occur obtain medical attention. |
| Ingestion    | Unlikely to be required but if necessary treat symptomatically.                         |

**4.2 Most important symptoms and effects, both acute and delayed** None

**4.3 Indication of the immediate medical attention and special treatment needed** None

## SECTION 5: FIRE-FIGHTING MEASURES

### 5.1 Extinguishing media

|                                 |   |
|---------------------------------|---|
| -Suitable Extinguishing Media   | Extinguish with waterspray, dry chemical, sand or carbon dioxide. |
| -Unsuitable Extinguishing Media | None anticipated.   |

**5.2 Special hazards arising from the substance or mixture** This product may give rise to hazardous fumes in a fire.

**5.3 Advice for fire-fighters** A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

**6.1 Personal precautions, protective equipment and emergency procedures** Avoid skin contact. Avoid contact with eyes.

**6.2 Environmental precautions** Use appropriate container to avoid environmental contamination.

**6.3 Methods and material for containment and cleaning up** Contain and cover spilled substance with dry sand or earth or other suitable dry material. Transfer to a container for disposal or recovery.

**6.4 Reference to other sections** None

**6.5 Additional Information** None.

## SECTION 7: HANDLING AND STORAGE

**7.1 Precautions for safe handling** Avoid skin contact. Avoid contact with eyes.

### 7.2 Conditions for safe storage, including any incompatibilities

|                         |                            |
|-------------------------|----------------------------|
| -Storage Temperature    | Store at room temperature. |
| -Incompatible materials | Strong oxidising agents.   |

**7.3 Specific end use(s)** Synthetic Bearing Lubricant


## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

#### 8.1.1 Occupational Exposure Limits

| SUBSTANCE. | CAS No. | LTEL (8 hr TWA ppm) | LTEL (8 hr TWA mg/m <sup>3</sup> ) | STEL (ppm) | STEL (mg/m <sup>3</sup> ) | Note: |
|------------|---------|---------------------|------------------------------------|------------|---------------------------|-------|
| None known | -----   | -----               | -----                              | -----      | -----                     | ----- |

| Limit value type (country of origin) | SUBSTANCE. | CAS No. | Biological limit value | Note: |
|--------------------------------------|------------|---------|------------------------|-------|
| None known                           | -----      | -----   | -----                  | ----- |

- 8.1.2 Recommended monitoring method Not available
- 8.2 Exposure controls
  - 8.2.1 Appropriate engineering controls Not normally required.
  - 8.2.2 Personal protection equipment
    - Eye/face protection Safety spectacles.
 
    - Skin protection (Hand protection/ Other) Not normally required.
 
    - Respiratory protection Not normally required.
 
    - Thermal hazards Not normally required.
- 8.2.3 Environmental Exposure Controls Not normally required.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

|  |                          |
|--|--------------------------|
| Appearance                               | Fibrous                  |
| Colour.                                  | Amber to grey            |
| Odour                                    | Fuel oil-like.           |
| Odour threshold (ppm)                    | Not available            |
| pH (Value)                               | Not available            |
| Melting point (°C) / Freezing point (°C) | Not available            |
| Boiling point/boiling range (°C):        | Not available            |
| Flash point (°C)                         | 220 [Cleveland Open cup] |
| Evaporation rate                         | Not available            |
| Flammability (solid, gas)                | Not available            |
| Explosive limit ranges                   | Not available            |
| Vapour pressure (Pascal)                 | Not available            |
| Vapour density (Air=1)                   | Not available            |
| Density of oil (g/ml)                    | 0.88                     |
| Solubility (Water)                       | Negligible.              |
| Solubility (Other)                       | Not available            |
| Partition coefficient (n-Octanol/water)  | Not available            |
| Auto ignition point (°C)                 | Not available            |
| Decomposition temperature (°C)           | Not available            |
| Kinematic Viscosity of oil (cSt) @ 40°C  | 102.7                    |
| Explosive properties                     | Not explosive.           |
| Oxidising properties                     | Not oxidising.           |

9.2 Other information Not available.



# 485EL-NPW-82.0 Series

## SECTION 10: STABILITY AND REACTIVITY

|   |   |
|---|---|
| 10.1 Reactivity                         | Stable under normal conditions.                               |
| 10.2 Chemical stability                 | Stable.   |
| 10.3 Possibility of hazardous reactions | None anticipated.   |
| 10.4 Conditions to avoid                | None  |
| 10.5 Incompatible materials             | Oxidizers   |
| 10.6 Hazardous Decomposition Product(s) | Carbon monoxide, Carbon dioxide, Nitrogen, phosphorous oxides |

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

#### 11.1.1 Substances

Not applicable

#### 11.1.2 Mixtures - By analogy with similar materials:

|                                   |                                    |
|-----------------------------------|------------------------------------|
| Acute toxicity                    | Not to be expected.                |
| Skin corrosion/irritation         | Unlikely to cause skin irritation. |
| Serious eye damage/irritation     | Unlikely to cause eye irritation.  |
| Respiratory or skin sensitization | Not to be expected.                |
| Germ cell mutagenicity            | Not to be expected.                |
| Carcinogenicity                   | Not to be expected.                |
| Reproductive toxicity             | Not to be expected.                |
| STOT - single exposure            | Not to be expected.                |
| STOT - repeated exposure          | Not to be expected.                |
| Aspiration hazard                 | Not to be expected.                |

#### 11.1.3 Substances in preparations / mixtures

Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS No. 64742-65-0)

|                |   |
|----------------|---|
| Acute toxicity | LD50 > 5000 mg/kg (rat)<br>LC50 = 2.18 mg/l (4 hour(s)) (rat)<br>LD50 > 2000 mg/kg (rabbit) |
|----------------|---|

|                                   |                              |
|-----------------------------------|------------------------------|
| Skin corrosion/irritation         | Non-irritant.                |
| Serious eye damage/irritation     | Non-irritant.                |
| Respiratory or skin sensitization | It is not a skin sensitiser. |
| Germ cell mutagenicity            | Negative                     |
| Carcinogenicity                   | Negative                     |
| Reproductive toxicity             | Not to be expected.          |
| STOT - single exposure            | Not to be expected.          |
| STOT - repeated exposure          | Not to be expected.          |
| Aspiration hazard                 | Not applicable               |

#### 11.2 Other information

None known.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1 Toxicity

#### Substances in preparations / mixtures

Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS No. 64742-65-0)

|                |  |
|----------------|--|
| Acute toxicity | NOEL $\geq$ 100 mg/l (96 hour) ( <i>P. promelas</i> )<br>NOEL $\geq$ 10,000 mg/l (96 hour) ( <i>G. pulex</i> ) |
| Long Term      | NOEL $\geq$ 100 mg/l (72 hour) ( <i>P. subcapitata</i> )<br>NOEL = 10 mg/l (21 days) ( <i>D. magna</i> )       |

#### 12.2 Persistence and degradability

There is evidence of degradation in soil and water.

#### 12.3 Bioaccumulative potential

The substance has low potential for bioaccumulation.

#### 12.4 Mobility in soil

The product has low mobility in soil.

#### 12.5 Results of PBT and vPvB assessment

Not classified as PBT or vPvB.

#### 12.6 Other adverse effects

None known.



# 485EL-NPW-82.0 Series

## SECTION 13: DISPOSAL CONSIDERATIONS

- 13.1 **Waste treatment methods** Disposal should be in accordance with local, state or national legislation. Consult an accredited waste disposal contractor or the local authority for advice.
- 13.2 **Additional Information** None known.

## SECTION 14: TRANSPORT INFORMATION

|                              | <u>Land transport<br/>(ADR/RID)</u> | <u>Sea transport<br/>(IMDG)</u>            | <u>Air transport<br/>(ICAO/IATA)</u> |
|------------------------------|-------------------------------------|--|--------------------------------------|
| UN number                    |                                     |  |                                      |
| Proper Shipping Name         |                                     | Not classified as dangerous for transport. |                                      |
| Transport hazard class(es)   |                                     |  |                                      |
| Packing group                |                                     |  |                                      |
| Environmental hazards        |                                     |  |                                      |
| Special precautions for user |                                     |  |                                      |

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable

## SECTION 15: REGULATORY INFORMATION

- 15.1 **Safety, health and environmental regulations/legislation specific for the substance or mixture:**
- 15.1.1 **EU regulations**

|   |               |
|---|---------------|
|   | <b>Listed</b> |
| Regulation (EC) 2037/2000 - Dangerous to the ozone layer.                   | No.           |
| Regulation (EC) 850/2004 - Persistent Organic Pollutants                    | No.           |
| Regulation (EC) 689/2008 - Export/Import of Dangerous Chemicals             | No.           |
| Regulation (EC) 1907/2006 - REACH Authorisations and/or restrictions on use | No.           |
- 15.1.2 **National regulations** Not established.
- 15.2 **Chemical Safety Assessment** Not applicable

## SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 2, 3, 11, 16.

**Hazard statement(s) and Precautionary statement(s):**

- Not applicable

**GHS Classification**

- Not classified as dangerous for supply/use.

**Training advice:** None.

**Additional Information:** None.

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Permawick Company gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Permawick Company accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.