


**SAFETY DATA SHEET**

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING**

<b>1.1 Product identifier</b>	
GHS Product Identifier	Not applicable.
Chemical Name	Not applicable.
Trade name	P2AO60-PG
CAS No.	Mixture
EINECS No.	Mixture
<b>1.2 Relevant identified uses of the substance or mixture and uses advised against</b>	
Identified use(s)	Synthetic Bearing Lubricant
Uses advised against	None.
<b>1.3 Details of the supplier of the safety data sheet</b>	
Company Identification	Permawick Company 3110 Permawick Drive Columbus, IN, 47201 U.S.A.
Telephone	+1 (812) 376-0703
Fax	+1 (812) 372-1410
E-Mail (competent person)	sales@permawick.com
Only Representative	Experien Chemical Services (Europe) Limited PO Box 170 Thirsk YO7 9AN UK
Telephone	+44 7791 573385 (UK 9am to 5pm)
<b>1.4 Emergency telephone number</b>	
Emergency Phone No.	Monday - Friday, 8 am – 4:30 p.m. (EST) (812) 376-0703 CHEMTREC 24 hr. +1 (703) 527-3887 (Collect call accepted)

**SECTION 2: HAZARDS IDENTIFICATION**

<b>2.1 Classification of the substance or mixture</b>	
Regulation (EC) No. 1272/2008 (CLP).	Asp. Tox. 1
<b>2.2 Label elements</b>	
Hazard Symbol	
Signal word(s)	<b>DANGER</b>
Hazard statement(s)	H304: May be fatal if swallowed and enters airways.
Precautionary statement(s)	P301+P330+P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P405: Store locked up.
<b>2.3 Other hazards</b>	Not classified as PBT or vPvB.
<b>2.4 Additional Information</b>	May produce an allergic reaction in persons already sensitised.

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

**3.2 Mixtures**

Regulation (EC) No. 1272/2008 (CLP).

Hazardous ingredient(s)	%W/W	EC No. and CAS#	According to Regulation (EC) No. 1272/2008 (CLP)
Dec-1-ene, homopolymer, hydrogenated	60 - 100	500-183-1 68037-01-4	Asp. Tox. 1; H304

**3.3 Additional Information** - Substances in the product which may present a health or environmental hazard, or which have been assigned occupational exposure limits, are detailed below. **None**

For full text of H/P phrases see section 16.

**SECTION 4: FIRST AID MEASURES**



**4.1 Description of first aid measures**

Inhalation	Unlikely to be required but if necessary treat symptomatically.
Skin Contact	Wash affected skin with soap and water.
Eye Contact	Eyes should be washed with plenty of water. If symptoms occur obtain medical attention.
Ingestion	Do not induce vomiting. Seek medical treatment.

**4.2 Most important symptoms and effects, both acute and delayed** None

**4.3 Indication of the immediate medical attention and special treatment needed** None

**SECTION 5: FIRE-FIGHTING MEASURES**

<b>5.1 Extinguishing media</b>	
-Suitable Extinguishing Media	Extinguish with waterspray, dry chemical, sand or carbon dioxide.
-Unsuitable Extinguishing Media	None anticipated.
<b>5.2 Special hazards arising from the substance or mixture</b>	This product may give rise to hazardous fumes in a fire.
<b>5.3 Advice for fire-fighters</b>	A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions.

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

<b>6.1 Personal precautions, protective equipment and emergency procedures</b>	Avoid skin contact. Avoid contact with eyes.
<b>6.2 Environmental precautions</b>	Use appropriate container to avoid environmental contamination.
<b>6.3 Methods and material for containment and cleaning up</b>	Contain and cover spilled substance with dry sand or earth or other suitable dry material. Transfer to a container for disposal or recovery.
<b>6.4 Reference to other sections</b>	None
<b>6.5 Additional Information</b>	None.

**SECTION 7: HANDLING AND STORAGE**

<b>7.1 Precautions for safe handling</b>	Avoid skin contact. Avoid contact with eyes.
--	--

## 7.2 Conditions for safe storage, including any incompatibilities

- Storage Temperature Store at room temperature.
- Incompatible materials Strong oxidising agents.

## 7.3 Specific end use(s) Synthetic Bearing Lubricant

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

#### 8.1.1 Occupational Exposure Limits

SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m <sup>3</sup> )	STEL (ppm)	STEL (mg/m <sup>3</sup> )	Note:
None known	-----	-----	-----	-----	-----	-----

Limit value type (country of origin)	SUBSTANCE.	CAS No.	Biological limit value	Note:
None known	-----	-----	-----	-----

#### 8.1.2 Recommended monitoring method Not available

### 8.2 Exposure controls

#### 8.2.1 Appropriate engineering controls Not normally required.

#### 8.2.2 Personal protection equipment

Eye/face protection Safety spectacles.



Skin protection (Hand protection/ Other) Not normally required.



Respiratory protection Not normally required.



Thermal hazards Not normally required.

#### 8.2.3 Environmental Exposure Controls Not normally required.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Appearance	Translucent Gel
Colour.	Clear / Amber.
Odour	Mild petroleum
Odour threshold (ppm)	Not available
pH (Value)	Not available
Melting point (°C) / Freezing point (°C)	Not available
Boiling point/boiling range (°C):	Not determined.
Flash point (°C)	160 – 230 (320 – 446) [Open cup]
Evaporation rate	Not applicable
Flammability (solid, gas)	Not applicable
Explosive limit ranges	Not applicable



# P2AO60-PG

Vapour pressure (Pascal)	Not available
Vapour density (Air=1)	Not available
Density (g/ml)	0.82 – 0.84
Solubility (Water)	Insoluble.
Solubility (Other)	Not available
Partition coefficient (n-Octanol/water)	Not available
Auto ignition point (°C)	Not available
Decomposition temperature (°C)	Not available
Kinematic Viscosity (cSt) @ 40°C (Base Oil)	5 – 20 at 40° C
Conpenetration (NLGI #)	2 - 3
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.
<b>9.2 Other information</b>	Not available.

## SECTION 10: STABILITY AND REACTIVITY

<b>10.1 Reactivity</b>	Stable under normal conditions.
<b>10.2 Chemical stability</b>	Stable.
<b>10.3 Possibility of hazardous reactions</b>	None anticipated.
<b>10.4 Conditions to avoid</b>	None
<b>10.5 Incompatible materials</b>	Oxidizers
<b>10.6 Hazardous Decomposition Product(s)</b>	Carbon monoxide, Carbon dioxide

## SECTION 11: TOXICOLOGICAL INFORMATION

<b>11.1 Information on toxicological effects</b>	
<b>11.1.1 Substances</b>	
Not applicable	
<b>11.1.2 Mixtures - By analogy with similar materials:</b>	
Acute toxicity	Oral: >5000 mg/kg Dermal: >5000 mg/kg
Skin corrosion/irritation	Unlikely to cause skin irritation.
Serious eye damage/irritation	Unlikely to cause eye irritation.
Respiratory or skin sensitization	Not to be expected.
Germ cell mutagenicity	Not to be expected.
Carcinogenicity	Not to be expected.
Reproductive toxicity	Not to be expected.
STOT - single exposure	Not to be expected.
STOT - repeated exposure	Not to be expected.
Aspiration hazard	May be fatal if swallowed and enters airways.
<b>11.1.3 Substances in preparations / mixtures</b>	
<u>Dec-1-ene, homopolymer, hydrogenated (CAS No. 68037-01-4)</u>	
Acute toxicity	Oral LD50 > 5000 mg/kg (rat) Inhalation LC50: LC50 > 5.2 mg/l (4 hour(s)) (rat) Dermal: LD50 > 3000 mg/kg (rabbit)
Skin corrosion/irritation	Unlikely to cause skin irritation.
Serious eye damage/irritation	Unlikely to cause eye irritation.
Respiratory or skin sensitization	Not to be expected.
Germ cell mutagenicity	Not to be expected.
Carcinogenicity	Not to be expected.
Reproductive toxicity	Not to be expected.
STOT - single exposure	Not to be expected.
STOT - repeated exposure	Not to be expected. Oral NOAEL = 1000 mg/kg (rat)
Aspiration hazard	May be fatal if swallowed and enters airways.
<b>11.2 Other information</b>	None known.

**SECTION 12: ECOLOGICAL INFORMATION**

**12.1 Toxicity**

**Substances in preparations / mixtures**

Dec-1-ene, homopolymer, hydrogenated (CAS No. 68037-01-4)

Short term	LL50 > 1000 mg/l (96 hour) (O. mykiss) EL50 > 1000 mg/l (48 hour) (D. magna) EL50 > 1000 mg/l (72 hour) (S. capricornutum)
Long Term	NOELR = 125 mg/l (D. magna) (21 days)

**12.2 Persistence and degradability**

Not readily biodegradable.

**12.3 Bioaccumulative potential**

Not available

**12.4 Mobility in soil**

No data

**12.5 Results of PBT and vPvB assessment**

Not classified as PBT or vPvB.

**12.6 Other adverse effects**

None known.

**SECTION 13: DISPOSAL CONSIDERATIONS**

**13.1 Waste treatment methods**

Disposal should be in accordance with local, state or national legislation. Consult an accredited waste disposal contractor or the local authority for advice.

**13.2 Additional Information**

None known.

**SECTION 14: TRANSPORT INFORMATION**

	<b>Land transport (ADR/RID)</b>	<b>Sea transport (IMDG)</b>	<b>Air transport (ICAO/IATA)</b>
<b>UN number</b>			
<b>Proper Shipping Name</b>		<b>Not classified as dangerous for transport.</b>	
<b>Transport hazard class(es)</b>			
<b>Packing group</b>			
<b>Environmental hazards</b>			
<b>Special precautions for user</b>			

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable

**SECTION 15: REGULATORY INFORMATION**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:**

**15.1.1 EU regulations**

**Listed**

Regulation (EC) 2037/2000 - Dangerous to the ozone layer.	No.
Regulation (EC) 850/2004 - Persistent Organic Pollutants	No.
Regulation (EC) 689/2008 - Export/Import of Dangerous Chemicals	No.
Regulation (EC) 1907/2006 - REACH Authorisations and/or restrictions on use	No.

**15.1.2 National regulations**

Not established.

German Water Classification / Wassergefährdungsklasse (Germany)	1
---	---

**15.2 Chemical Safety Assessment**

Not applicable

**SECTION 16: OTHER INFORMATION**

The following sections contain revisions or new statements: 2, 3, 11, 16



## P2AO60-PG

**Hazard statement(s) and Precautionary statement(s):**

- H304: May be fatal if swallowed and enters airways.

**GHS Classification**

- Asp. Tox. 1: May be fatal if swallowed and enters airways.

**Training advice:** None.

**Additional Information:** None.

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Permawick gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Permawick accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.