



# PS207PP

## SAFETY DATA SHEET

OSHA HCS (29 CFR 1910.1200)

### SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

**Product identifier**

Chemical Name Not applicable  
Trade name PS207PP  
CAS No. Mixture  
EINECS No. Mixture

**Relevant identified uses of the substance or mixture and uses advised against**

Identified use(s) Synthetic Bearing Lubricant  
Uses advised against None.

**Details of the supplier of the safety data sheet**

Company Identification Permawick Company  
3110 Permawick Drive  
Columbus, IN, 47201  
Telephone (812) 376-0703  
Fax (812) 372-1410  
E-Mail (competent person) sales@permawick.com

**Emergency telephone number**

Emergency Phone No. Monday - Friday, 8 am – 4:30 p.m. (EST) (812) 376-0703  
CHEMTREC 24 hr. (800) 424-9300

### SECTION 2: HAZARDS IDENTIFICATION

**Classification of the substance or mixture**

OSHA HCS (29 CFR 1910.1200) Aquatic Chronic 3

**Label elements**

Hazard Symbol None  
Hazard statement(s) Harmful to aquatic life with long lasting effects.  
Precautionary statement(s) Avoid release to the environment.

**Other hazards**

Not classified as PBT or vPvB.

**Additional Information**

None known.

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

| Hazardous ingredient(s)   | %W/W    | CAS No.    | Hazard statement(s)  |
|---|---------|------------|--|
| Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene | 0 – 1.5 | 68411-46-1 | May cause damage to organs through prolonged or repeated exposure.<br>Harmful to aquatic life with long lasting effects.               |
| tris(methylphenyl) phosphate  | 0 – 1.5 | 1330-78-5  | Suspected of damaging fertility or the unborn child. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. |

**Additional Information** - Substances in the product which may present a health or environmental hazard, or which have been assigned occupational exposure limits, are detailed below.: None

# PS207PP

## SECTION 4: FIRST AID MEASURES



### Description of first aid measures

|   |   |
|---|---|
| Inhalation  | Unlikely to be required but if necessary treat symptomatically.                         |
| Skin Contact  | Wash affected skin with soap and water.   |
| Eye Contact   | Eyes should be washed with plenty of water. If symptoms occur obtain medical attention. |
| Ingestion   | Unlikely to be required but if necessary treat symptomatically.                         |
| <b>Most important symptoms and effects, both acute and delayed</b>                | None  |
| <b>Indication of the immediate medical attention and special treatment needed</b> | None  |

## SECTION 5: FIRE-FIGHTING MEASURES

### Extinguishing media

|                                 |   |
|---------------------------------|---|
| -Suitable Extinguishing Media   | Extinguish with waterspray, dry chemical, sand or carbon dioxide. |
| -Unsuitable Extinguishing Media | None anticipated.   |

### Special hazards arising from the substance or mixture

This product may give rise to hazardous fumes in a fire.

### Advice for fire-fighters

A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Avoid skin contact. Avoid contact with eyes.

### Environmental precautions

Use appropriate container to avoid environmental contamination.

### Methods and material for containment and cleaning up

Contain and cover spilled substance with dry sand or earth or other suitable dry material. Transfer to a container for disposal or recovery.

### Reference to other sections

None

### Additional Information

None

## SECTION 7: HANDLING AND STORAGE

### Precautions for safe handling

Avoid skin contact. Avoid contact with eyes.

### Conditions for safe storage, including any incompatibilities

|                         |                            |
|-------------------------|----------------------------|
| -Storage Temperature    | Store at room temperature. |
| -Incompatible materials | Strong oxidising agents.   |

### Specific end use(s)

Lubricating agent

# PS207PP

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### Occupational Exposure Limits

| SUBSTANCE. | CAS No. | LTEL (8 hr TWA ppm) |             | STEL (ppm) |             | Note: |
|------------|---------|---------------------|-------------|------------|-------------|-------|
|            |         | PEL (OSHA)          | TLV (ACGIH) | PEL (OSHA) | TLV (ACGIH) |       |
| None       | ----    | ----                | ----        | ----       | ----        |       |

#### Recommended monitoring method

None

#### Exposure controls

##### Appropriate engineering controls

Not normally required.

##### Personal protection equipment

Eye/face protection

Safety spectacles.



Skin protection (Hand protection/ Other)

Not normally required.



Respiratory protection

Not normally required.



Thermal hazards

Not normally required.

#### Environmental Exposure Controls

Use appropriate container to avoid environmental contamination. Disposal should be in accordance with local, state or national legislation. Consult an accredited waste disposal contractor or the local authority for advice.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

|  |                   |
|--|-------------------|
| Appearance                               | Viscous liquid.   |
| Colour                                   | Amber, Clear.     |
| Odour                                    | Faint Ester-like. |
| Odour Threshold (ppm)                    | Not available     |
| pH (Value)                               | Not available     |
| Melting Point (°C) / Freezing Point (°C) | Not available     |
| Boiling point/boiling range (°C):        | Not determined.   |
| Flash Point (°C)                         | 245 [Open cup]    |
| Evaporation rate                         | Not applicable    |
| Flammability (solid, gas)                | Not applicable    |
| Explosive limit ranges                   | Not applicable    |
| Vapour Pressure (Pascal)                 | < 1               |
| Vapour Density (Air=1)                   | > 1               |
| Density (g/ml)                           | 0.993             |
| Solubility (Water)                       | Insoluble.        |

# PS207PP

|   |  |
|---|--|
| Solubility (Other)                      | Not available                            |
| Partition Coefficient (n-Octanol/water) | Not available                            |
| Auto Ignition Temperature (°C)          | >282                                     |
| Decomposition Temperature (°C)          | Not available                            |
| Kinematic Viscosity (cSt) @ 40°C        | >30.5 (Listed in: Product specification) |
| Explosive properties                    | Not explosive.                           |
| Oxidising properties                    | Not oxidising.                           |
| <b>Other information</b>                | Not available                            |

## SECTION 10: STABILITY AND REACTIVITY

|   |                                 |
|---|---------------------------------|
| <b>Reactivity</b>                         | Stable under normal conditions. |
| <b>Chemical stability</b>                 | Stable.                         |
| <b>Possibility of hazardous reactions</b> | None anticipated.               |
| <b>Conditions to avoid</b>                | None                            |
| <b>Incompatible materials</b>             | Oxidizers                       |
| <b>Hazardous Decomposition Product(s)</b> | Carbon monoxide, Carbon dioxide |

## SECTION 11: TOXICOLOGICAL INFORMATION

### Information on toxicological effects

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (CAS No. 68411-46-1)

#### Acute toxicity

|             |  |
|-------------|--|
| -Ingestion  | LD50 > 5000 mg/kg (rat)                                |
| -Inhalation | No data  |
| -Dermal     | LD50 > 2000 mg/kg (rat)                                |
| -Irritation | Slightly irritant (Skin). Non-irritant to rabbit eyes. |

#### Sensitisation

It is not a skin sensitiser.

#### Repeated dose toxicity

No data

#### Mutagenicity

Negative

#### Carcinogenicity

No data

#### Toxicity for reproduction

NOAEL = 125 mg/kg (P/F1) (rat)

#### Other information

IARC, NTP, OSHA, ACGIH do not list this product or any components thereof as known or suspected carcinogen.

tris(methylphenyl) phosphate (CAS No. 1330-78-5)

#### Acute toxicity

|             |  |
|-------------|--|
| -Ingestion  | LD50 > 20,000 mg/kg (rat)                              |
| -Inhalation | LC50 > 11.1 mg/l (rat) (1 hour(s))                     |
| -Dermal     | LD50 3.7 g/kg (rabbit)                                 |
| -Irritation | Slightly irritant (Skin). Non-irritant to rabbit eyes. |

#### Sensitisation

It is not a skin sensitiser.

#### Repeated dose toxicity

Oral: NOAEL = 1000 mg/kg (rat)

#### Mutagenicity

Negative

#### Carcinogenicity

No data

#### Toxicity for reproduction

Positive

#### Developmental Toxicity

LOAEL = 20 mg/kg (Developmental)

NOEL = 20 mg/kg (Maternal)

#### Other information

None known

## SECTION 12: ECOLOGICAL INFORMATION

### Toxicity

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (CAS No. 68411-46-1)

#### Acute toxicity

Fish LC50> 100 mg/l (96 hour) (*D. rerio*)

# PS207PP

|   |   |
|---|---|
|   | Aquatic invertebrates: EC50 >100 mg/l (48 hour) / (24 hour(s)) ( <i>D. magna</i> )  |
|   | Algae EC50 > 100 mg/l (72 hour) ( <i>D. subspicatus</i> ) ( <i>Growth rate</i> ) and ( <i>Biomass</i> )   |
| <b>Long Term</b>  | No data   |
| <u>tris(methylphenyl) phosphate (CAS No. 1330-78-5)</u> |   |
| <b>Acute toxicity</b>                                   | Fish LC50 = 0.06 mg/l (96 hour) ( <i>Rainbow trout</i> )<br>Fish LC50 = 44.8 mg/l (96 hour) ( <i>Fathead minnow</i> )<br>Aquatic invertebrates: EC50 = 146 µg/l (48 hour) ( <i>D. magna</i> )<br>Algae EL50 > 2500 µg/l (72 hour) / (96 hour) ( <i>S. capricornutum</i> ) |
| <b>Long Term</b>  | Fish Sublethal Effects = 0.9 mg/l (4 week(s)) ( <i>O. mykiss</i> )<br>Aquatic invertebrates: NOEC = 0.011 – 0.019 mg/l (Survival) ( <i>G. pseudolimnaeus</i> )  |
| <b>Persistence and degradability</b>                    | Not available   |
| <b>Bioaccumulative potential</b>                        | Not available   |
| <b>Mobility in soil</b>                                 | No data   |
| <b>Results of PBT and vPvB assessment</b>               | Not classified as PBT or vPvB.  |
| <b>Other adverse effects</b>                            | None known.   |

## SECTION 13: DISPOSAL CONSIDERATIONS

|                                |  |
|--------------------------------|--|
| <b>Waste treatment methods</b> | Disposal should be in accordance with local, state or national legislation. Consult an accredited waste disposal contractor or the local authority for advice. |
| <b>Additional Information</b>  | None known.  |

## SECTION 14: TRANSPORT INFORMATION

|   |  |
|---|--|
| <b>DOT (DEPARTMENT OF TRANSPORTATION)</b> | Not classified as dangerous for transport. |
| UN number                                 |  |
| Proper Shipping Name                      |  |
| Transport hazard class(es)                |  |
| Packing Group                             |  |
| Marine Pollutant                          |  |
| Special precautions for user              |  |
| UN number                                 |  |
| <b>Land transport (ADR/RID)</b>           | Not classified as dangerous for transport. |
| UN number                                 |  |
| Proper Shipping Name                      |  |
| Transport hazard class(es)                |  |
| Packing Group                             |  |
| Marine Pollutant                          |  |
| Special precautions for user              |  |
| <b>Sea transport (IMDG)</b>               | Not classified as dangerous for transport. |
| UN number                                 |  |
| Proper Shipping Name                      |  |
| Transport hazard class(es)                |  |
| Packing Group                             |  |
| Environmental hazards                     |  |
| Special precautions for user              |  |
| <b>Air transport (ICAO/IATA)</b>          | Not classified as dangerous for transport. |
| UN number                                 |  |

# PS207PP

Proper Shipping Name  
Transport hazard class(es)  
Packing Group  
Environmental hazards  
Special precautions for user

Transport in bulk according to Annex II of  
MARPOL73/78 and the IBC Code

Not established

## SECTION 15: REGULATORY INFORMATION

**Safety, health and environmental regulations/legislation specific for the substance or mixture:**

**TSCA (Toxic Substance Control Act) - Inventory Status:** All components listed or polymer exempt.

**Designated Hazardous Substances and Reportable Quantities (40 CFR 302.4):**

| Chemical Name | CAS No. | Typical %wt. | RQ (Pounds) |
|---------------|---------|--------------|-------------|
| None          | ----    | ----         | ----        |

**SARA 311/312 - Hazard Categories:**

Fire    Sudden Release    Reactivity    Immediate (acute)    Chronic (delayed)

**SARA 313 - Toxic Chemicals (40 CFR 372):**

| Chemical Name | CAS No. | Typical %wt. |
|---------------|---------|--------------|
| None          | ----    | ----         |

**SARA 302 - Extremely Hazardous Substances(40 CFR 355):**

| Chemical Name | CAS No. | Typical %wt. | TPQ (pounds) |
|---------------|---------|--------------|--------------|
| None          | ----    | ----         | ----         |

## SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

**Date of preparation:** April 16, 2013

**Additional Information:** None.

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Permawick gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Permawick accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.