



TFL18PP

SAFETY DATA SHEET

GB 13690-2009 and GB/T 16483-2008

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

- 1.1 Product identifier**
 GHS Product Identifier Not applicable.
 Chemical Name Not applicable.
 Trade name TFL18PP
 CAS No. Mixture
 EINECS No. Mixture
- 1.2 Relevant identified uses of the substance or mixture and uses advised against**
 Identified use(s) Mineral Oil Bearing Lubricant
 Uses advised against None.
- 1.3 Details of the supplier of the safety data sheet**
 Company Identification Permawick Company
 3110 Permawick Drive
 Columbus, IN, 47201 U.S.A.
 Telephone +1 (812) 376-0703
 Fax +1 (812) 372-1410
 E-Mail (competent person) sales@permawick.com
 Only Representative Experien Chemical Services (Europe) Limited
 PO Box 170
 Thirsk YO7 9AN UK
 Telephone +44 7791 573385 (UK 9am to 5pm)
- 1.4 Emergency telephone number**
 Emergency Phone No. Monday - Friday, 8 am – 4:30 p.m. (EST) (812) 376-0703
 CHEMTREC 24 hr. +1 (703) 527-3887 (Collect call accepted)

SECTION 2: HAZARDS IDENTIFICATION

- 2.1 Classification of the substance or mixture**
 GB 13690-2009 . Not Classified as dangerous
- 2.2 Label elements**
 Hazard Symbol None
 Signal word(s) None
 Hazard statement(s) None
 Precautionary statement(s) None.
- 2.3 Other hazards** Not classified as PBT or vPvB.
- 2.4 Additional Information** May produce an allergic reaction in persons already sensitised.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures
 Regulation (EC) No. 1272/2008 (CLP).

Hazardous ingredient(s)	%W/W	CAS#	Hazard Statement
Highly refined mineral oil*	60 - 100	64742-65-0	Not Classified
Barium Petroleum Sulfonate	1-5	61790-48-5	Acute Tox. 4, H302 Acute Tox. 4, H332 Xn; R20/22
Zinc Diakyl Dithio phosphate	0.1 – 1.0	68649-42-3	Xi; R41 Xi; R38

			N; R51/53
alkylated diphenylamines	0.1 – 0.5	118-82-1	Aquatic Chronic4; H413

* Contains less than 3% DMSO extractable as measured by IP 346 method.

See Section 16 for the full text of the R-phrases declared above.

See Section 16 for the full text of the H statements declared above.

3.3 Additional Information - Substances in the product which may present a health or environmental hazard, or which have been assigned occupational exposure limits, are detailed below. **None**

For full text of H/P phrases see section 16.

SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Inhalation	Unlikely to be required but if necessary treat symptomatically.
Skin Contact	Wash affected skin with soap and water.
Eye Contact	Eyes should be washed with plenty of water. If symptoms occur obtain medical attention.
Ingestion	Do not induce vomiting. Seek medical treatment.

4.2 Most important symptoms and effects, both acute and delayed None

4.3 Indication of the immediate medical attention and special treatment needed None

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing media	
-Suitable Extinguishing Media	Extinguish with waterspray, dry chemical, sand or carbon dioxide.
-Unsuitable Extinguishing Media	None anticipated.
5.2 Special hazards arising from the substance or mixture	This product may give rise to hazardous fumes in a fire.
5.3 Advice for fire-fighters	A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures	Avoid skin contact. Avoid contact with eyes.
6.2 Environmental precautions	Use appropriate container to avoid environmental contamination.
6.3 Methods and material for containment and cleaning up	Contain and cover spilled substance with dry sand or earth or other suitable dry material. Transfer to a container for disposal or recovery.
6.4 Reference to other sections	None
6.5 Additional Information	None.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling	Avoid skin contact. Avoid contact with eyes.
7.2 Conditions for safe storage, including any incompatibilities	

-Storage Temperature
-Incompatible materials

Store at room temperature.
Strong oxidising agents.

7.3 Specific end use(s)

Mineral Bearing Lubricant

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Note:
None known	-----	-----	-----	-----	-----	-----

Limit value type (country of origin)	SUBSTANCE.	CAS No.	Biological limit value	Note:
None known	-----	-----	-----	-----

8.1.2 Recommended monitoring method

Not available

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Not normally required.

8.2.2 Personal protection equipment

Eye/face protection

Safety spectacles.



Skin protection (Hand protection/ Other)

Not normally required.



Respiratory protection

Not normally required.



Thermal hazards

Not normally required.

8.2.3 Environmental Exposure Controls

Not normally required.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	Liquid
Colour.	Clear / Amber.
Odour	Mild petroleum
Odour threshold (ppm)	Not available
pH (Value)	Not available
Melting point (°C) / Freezing point (°C)	Not available
Boiling point/boiling range (°C):	Not determined.
Flash point (°C)	180 [Open cup]
Evaporation rate	Not applicable
Flammability (solid, gas)	Not applicable
Explosive limit ranges	Not applicable
Vapour pressure (Pascal)	Not available
Vapour density (Air=1)	Not available
Density (g/ml)	0.858



TFL18PP

Solubility (Water)	Insoluble.
Solubility (Other)	Not available
Partition coefficient (n-Octanol/water)	Not available
Auto ignition point (°C)	Not available
Decomposition temperature (°C)	Not available
Kinematic Viscosity (cSt) @ 40°C	17.2 at 40° C
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.

9.2 Other information Not available.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable.
10.3 Possibility of hazardous reactions	None anticipated.
10.4 Conditions to avoid	None
10.5 Incompatible materials	Oxidizers
10.6 Hazardous Decomposition Product(s)	Carbon monoxide, Carbon dioxide

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

11.1.1 Substances

Not applicable

11.1.2 Mixtures - By analogy with similar materials:

Acute toxicity	Oral: >5000 mg/kg Dermal: >5000 mg/kg
Skin corrosion/irritation	Unlikely to cause skin irritation.
Serious eye damage/irritation	Unlikely to cause eye irritation.
Respiratory or skin sensitization	Not to be expected.
Germ cell mutagenicity	Not to be expected.
Carcinogenicity	Not to be expected.
Reproductive toxicity	Not to be expected.
STOT - single exposure	Not to be expected.
STOT - repeated exposure	Not to be expected.
Aspiration hazard	May be fatal if swallowed and enters airways.

11.1.3 Substances in preparations / mixtures

Highly refined mineral oil* (CAS No. 68037-01-4)

Acute toxicity	Oral LD50 > 5000 mg/kg (rat) Inhalation LC50: LC50 > 5.2 mg/l (4 hour(s)) (rat) Dermal: LD50 > 3000 mg/kg (rabbit)
Skin corrosion/irritation	Unlikely to cause skin irritation.
Serious eye damage/irritation	Unlikely to cause eye irritation.
Respiratory or skin sensitization	Not to be expected.
Germ cell mutagenicity	Not to be expected.
Carcinogenicity	Not to be expected.
Reproductive toxicity	Not to be expected.
STOT - single exposure	Not to be expected.
STOT - repeated exposure	Not to be expected. Oral NOAEL = 1000 mg/kg (rat)
Aspiration hazard	May be fatal if swallowed and enters airways.

11.2 Other information None known.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Substances in preparations / mixtures

Highly refined mineral oil* (CAS No. 68037-01-4)



TFL18PP

Short term	LL50 > 1000 mg/l (96 hour) (O. mykiss) EL50 > 1000 mg/l (48 hour) (D. magna) EL50 > 1000 mg/l (72 hour) (S. capricornutum)
Long Term	NOELR = 125 mg/l (<i>D. magna</i>) (21 days)
12.2 Persistence and degradability	Not readily biodegradable.
12.3 Bioaccumulative potential	Not available
12.4 Mobility in soil	No data
12.5 Results of PBT and vPvB assessment	Not classified as PBT or vPvB.
12.6 Other adverse effects	None known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods	Disposal should be in accordance with local, state or national legislation. Consult an accredited waste disposal contractor or the local authority for advice.
13.2 Additional Information	None known.

SECTION 14: TRANSPORT INFORMATION

	<u>Land transport</u> (ADR/RID)	<u>Sea transport</u> (IMDG)	<u>Air transport</u> (ICAO/IATA)
UN number			
Proper Shipping Name	Not classified as dangerous for transport.		
Transport hazard class(es)			
Packing group			
Environmental hazards			
Special precautions for user			

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:	
15.1.1 EU regulations	Listed
Regulation (EC) 2037/2000 - Dangerous to the ozone layer.	No.
Regulation (EC) 850/2004 - Persistent Organic Pollutants	No.
Regulation (EC) 689/2008 - Export/Import of Dangerous Chemicals	No.
Regulation (EC) 1907/2006 - REACH Authorisations and/or restrictions on use	No.
15.1.2 National regulations	Not established.
German Water Classification / Wassergefährdungsklasse (Germany)	1
Inventory Status: China	All Chemicals listed
Catalog of Hazardous Chemicals in China (2002)	None
15.2 Chemical Safety Assessment	Not applicable

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 2, 3, 11, 16

Indicates information that has changed from previously issued version.

[Abbreviations and acronyms](#) ATE = Acute Toxicity Estimate

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RRN = REACH Registration Number

vPvB = Very Persistent and Very Bioaccumulative

[Procedure used to derive the classification according to Regulation \(EC\) No. 1272/2008 \[CLP/GHS\]](#)



Classification Justification

Acute Tox. 4, H302 Expert judgment
Acute Tox. 4, H332 Expert judgment

R22- Harmful if swallowed.
R20/22- Harmful by inhalation and if swallowed.
R36/38- Irritating to eyes and skin.

[Full text of abbreviated R phrases](#)

Xn - Harmful

Xi - Irritant

[Full text of classifications](#)

[DSD/DPD]

[Full text of abbreviated H statements](#)

[Full text of classifications](#)

[CLP/GHS]

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

Acute Tox. 4, H302 ACUTE TOXICITY (oral) - Category 4

Acute Tox. 4, H332 ACUTE TOXICITY (inhalation) - Category 4

Eye Irrit. 2, H319 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2

Skin Irrit. 2, H315 SKIN CORROSION/IRRITATION - Category 2

Training advice: None.

Additional Information: None.

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Permawick gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Permawick accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

PERMAWICK
3110 Permawick Dr.
Columbus, IN 47201

Signature: 

Position: Chief Chemist

Date: July 17, 2017

(Stamp common seal)